

Glyph(s)	Glyphsapp name	Code point	OpenType access	Version	Project	Description	Comment
ˆ	semicolon.alt6	TBD	; + cv73[6]	2.203	Ansund	Punctus with double comma positura	
ˆ	semicolon.alt7	TBD	; + cv73[7]	2.203	Ansund	Hexagonal positura	Italic form is identical to roman (except for metrics).
:	et.alt2	TBD	3 + cv83[3]	2.202	Ansund	Colon-like variant of et (U+A76B)	Also used for -us in Latin -ibus ending.
.	periodcentered.alt1	TBD	· + cv71[2]	2.202	Ansund	Slightly raised period	
ɹ	etTironian.alt3	TBD	ɹ + cv69[3]	2.202	Ansund	Tironian sign et without descender	Was: Tironian nota that sits on the line
ɹ	EtTironian.alt3	TBD	ɹ + cv69[3]	2.202	Ansund	Tironian sign capital et without descender	Was: enlarged Tironian nota that sits on the line, serving as littera notabilior
ꝛ	uniF0C8	F0C8	U+035B U+0301	2.204	MUFI	COMBINING ZIGZAG AND ACUTE ABOVE	
ꝛ	uniF0C9	F0C9	U+0366 U+1DCE	2.204	MUFI	COMBINING LATIN SMALL LETTER O WITH CURL	
ꝛ	uniF0CA	F0CA	U+0363 U+0301	2.204	MUFI	COMBINING LATIN SMALL LETTER A WITH ACUTE	
ꝛ	uniF0CB	F0CB	U+1DD4 U+0301	2.204	MUFI	COMBINING LATIN SMALL LETTER AE WITH ACUTE	
ꝛ	uniF0CC	F0CC	U+0363 U+0304	2.204	MUFI	COMBINING LATIN SMALL LETTER A WITH MACRON	
ꝛ	uniF0CD	F0CD	U+0364 U+0301	2.204	MUFI	COMBINING LATIN SMALL LETTER E WITH ACUTE	
ꝛ	uniF0CF	F0CF	U+1DE2 U+0307	2.204	MUFI	COMBINING LATIN LETTER SMALL CAPITAL R WITH DOT ABOVE	
Ɽ	A.rustic	F0030	A + salt[1]	2.2	Ansund	Rustic capital A	
Ɽ	A.lombardic	F0047	A + salt[2]	2.2	Ansund	Lombardic capital A	

Sheet1

À	a.rustic		a + salt [1]	2.2	Junicode	Rustic capital A from lc	
Ā	a.lombardic		a + salt [2]	2.2	Junicode	Lombardic capital A from lc	
Ȑ	a.alt6	TBD	a + cv02 [7]	2.2	Ansund	oc-shaped a	
ȑ	a.alt6.enlarged	TBD	a + cv02 [7] + ss06	2.2	Ansund	oc-shaped a, enlarged	
Ȓ	a.alt7	TBD	a + cv02 [8]	2.2	Ansund	high caroline a	
ȓ	a.alt8	TBD	a + cv02 [9]	2.201	Ansund	square a	
Ȕ	a.alt9	TBD	a + cv02 [10]	2.201	Ansund	pointed a	
ȕ	uniF0DF	F0DF	ȕ U+0304	2.204	MUFI	LATIN SMALL LIGATURE A V WITH MACRON	
Ȗ	ae.alt4	TBD	Ȗ + cv57 [5]	2.202	Ansund	Ȗ with square a	
ȗ	uniF0EC	F0EC	a v + cv02 [2] + hlig	2.204	MUFI	LATIN LIGATURE ENLARGED LETTER SMALL A AND LATIN SMALL LETTER V	
Ș	uniF0FB	F0FB	a v U+0304 +cv02 [2] + hlig	2.204	MUFI	LATIN LIGATURE ENLARGED LETTER SMALL A AND LATIN SMALL LETTER V WITH MACRON	
ș	ae.alt5	TBD	ș + cv57 [6]	2.203	Ansund	ș with round a	The difference between this and the oe digraph is subtle!
Ț	Æ.rustic	TBD	Æ + salt [1]	2.203	Ansund	Rustic capital Æ	
Ȟ	ae.rustic	TBD	Ȟ + salt [1]	2.203	Junicode	Rustic capital Æ	
Ƞ	uniF0F9	F0F9	a u+0304 N + hlig	2.204	MUFI	LATIN LIGATURE SMALL LETTER A WITH MACRON AND SMALL CAPITAL N	
ȡ	a_v.hlig		a v + hlig	2.204	Junicode	a v ligature	Looks like u+739 but behaves differently. This provides a base for several MUFI ligature + diacritic combinations.

## Sheet1

á	uniF0FA	F0FA	a U+0301 v + hlig	2.204	MUFI	LATIN SMALL LIGATURE AV WITH ACUTE = LATIN SMALL LIGATURE AV + COMBINING ACUTE ACCENT	
ā	uniF0FC	F0FC	a v U+0304 + hlig	2.204	MUFI	LATIN LIGATURE SMALL LETTER A AND LATIN LETTER V WITH MACRON	
ǣ	uniF0FD	F0FD	a U+0301 v U+0304 + hlig	2.204	MUFI	LATIN SMALL LIGATURE A WITH ACUTE AND LATIN SMALL LETTER V WITH MACRON	
Ȣ	B.rustic	F0031	B + salt[1]	2.2	Ansund	Rustic capital B	
Ȣ	B.lombardic	F0048	B + salt[2]	2.2	Ansund	Lombardic capital B	
Ȣ	b.rustic		b + salt[1]	2.2	Junicode	Rustic capital B from lc	
Ȣ	b.lombardic		b + salt[2]	2.2	Junicode	Lombardic capital B from lc	
Ȣ	uniF055	F055	b U+0363 + ss20	2.204	MUFI	LATIN SMALL LETTER B WITH LATIN SMALL LETTER A ABOVE	
Ȣ	uniF05C	F05C	b U+0367 + ss20	2.204	MUFI	LATIN SMALL LETTER B WITH LATIN SMALL LETTER U ABOVE	
Ȣ	uniF05E	F05E	b U+1DD3 + ss20	2.204	MUFI	LATIN SMALL LETTER B WITH FLATTENED OPEN A ABOVE	
Ȣ	uniF05F	F05F	b U+035B + ss20	2.204	MUFI	LATIN SMALL LETTER B WITH ZIGZAG ABOVE	
Ȣ	uniF062	F062	b U+1DE3 + cv87 + ss20	2.204	MUFI	LATIN SMALL LETTER B WITH UR LEMNISKATE FORM ABOVE	
Ȣ	uniF063	F063	b U+1DD2	2.204	MUFI	LATIN SMALL LETTER B WITH US ABOVE	
Ȣ	b_o.hlig	TBD	b o + hlig	2.201	Ansund	biting of bo	
Ȣ	C.rustic	F0032	C + salt[1]	2.2	Ansund	Rustic capital C	
Ȣ	C.lombardic	F0049	C + salt[2]	2.2	Ansund	Lombardic capital C	

Sheet1

Ċ	c.rustic		c + salt[1]	2.2	Junicode	Rustic capital C from lc	
Ċ	c.lombardic		c + salt[2]	2.2	Junicode	Lombardic capital C from lc	
ċ	uniF053	F053	c macroncomb	2.204	MUFI	LATIN SMALL LETTER C WITH MACRON	
D	D.rustic	F0033	D + salt[1]	2.2	Ansund	Rustic capital D	
D	D.lombardic	F004A	D + salt[2]	2.2	Ansund	Lombardic capital D	
D	d.rustic		d + salt[1]	2.2	Junicode	Rustic capital D from lc	
D	d.lombardic		d + salt[2]	2.2	Junicode	Lombardic capital D from lc	
đ	đacute		đ U+0301	2.204	Junicode	đ with acute accent	
đ	đinsularacute.alt		đ + cv08[2]	2.204	Junicode	insular đ with acute accent	Or đ + sso2 with Irish language
đt	đacute.mecurl		đ + cv08[3]	2.204	Junicode	đ with acute and curl	
đ	đacute.enlarged		đ + ss06	2.204	Junicode	enlarged đ with acute	
đ	đinsularacute.enlarged		đ + cv08[1] + ss06	2.204	Junicode	enlarged insular đ with acute	Or đ + sso2 + sso6 with English language
đo	đh.loclENG.enlarged.al	TBD	đ + salt[1]	2.202	Ansund	alternative form of enlarged English eth	Language must be English.
ðð	eth_eth.loclENG.hlig	TBD	ð ð + hlig	2.201	Ansund	ðð ligature	Language must be English.
ðe	ðinsular_e.hlig	TBD	ð e + hlig	2.201	Ansund	ðing of de	
ð	uniF09C	F09C	ð U+1DE2 U+0307	2.204	MUFI	LATIN SMALL LETTER D RO-TUNDA WITH LATIN LETTER SMALL CAPITAL R WITH DOT ABOVE	
ð	uniF09D	F09D	ð U+035B	2.204	MUFI	LATIN SMALL LETTER D RO-TUNDA WITH ZIGZAG ABOVE	
ð	uniF0A6	F0A6	ð U+1DD3	2.204	MUFI	LATIN SMALL LETTER D RO-TUNDA WITH FLATTENED OPEN A ABOVE	

Sheet1

ø	uniF0AC	F0AC	ø U+1DE2 U+0307 +ss20	2.204	MUFI	LATIN SMALL LETTER ETH WITH LATIN LETTER SMALL CAPITAL R WITH DOT ABOVE	
ø	uniF0AF	F0AF	ø U+035B + ss20	2.204	MUFI	LATIN SMALL LETTER ETH WITH ZIGZAG ABOVE	
ø	uniF0D8	F0D8	ø U+0304	2.204	MUFI	LATIN SMALL LETTER ETH WITH MACRON	
ø	uniF0D9	F0D9	ø U+LACE + ss20	2.204	MUFI	LATIN SMALL LETTER ETH WITH LATIN LETTER INSULAR T ABOVE	
ø	uniF0DC	F0DC	U+A77A v + ss17	2.204	MUFI	LATIN SMALL LIGATURE D RO- TUNDA V	
ø	uniF0DE	F0DE	d v U+0304 + ss17	2.204	MUFI	LATIN SMALL LIGATURE D RO- TUNDA V WITH MACRON	
ø	uniF0E9	F0E9	ø v + ss17	2.204	MUFI	LATIN SMALL LIGATURE ETH V	
ƒ	E.rustic	F0034	E + salt [1]	2.2	Ansund	Rustic capital E	
ƒ	E.lombardic	F004B	E + salt [2]	2.2	Ansund	Lombardic capital E	Supplied though not in spreadsheet
ƒ	e.rustic		e + salt [1]	2.2	Junicode	Rustic capital E from lc	
ƒ	e.lombardic		e + salt [2]	2.2	Junicode	Lombardic capital E from lc	
é	uniF0C2	F0C2	é + ss06	2.204	MUFI	LATIN ENLARGED LETTER SMALL E WITH ACUTE	
ea	e_a.hlig	TBD	e a + hlig	2.201	Ansund	ligature of tall e and square a	
ec	e_c.hlig	TBD	e c + hlig	2.201	Ansund	ligature of tall e and c	
ef	e_fnsular.hlig	TBD	e f + hlig	2.201	Ansund	ligature of tall e and insular f	
eg	e_ginsular.hlig	TBD	e g + hlig	2.201	Ansund	ligature of tall e and insular g	
em	e_m.hlig	TBD	e m + hlig	2.201	Ansund	ligature of tall e and m	
en	e_n.hlig	TBD	e n + hlig	2.201	Ansund	ligature of tall e and n	
eo	e_o.hlig	TBD	e o + hlig	2.201	Ansund	ligature of tall e and o	
ep	e_rinsular.hlig	TBD	e p + hlig	2.201	Ansund	ligature of tall e and insular r	

Sheet1

ŧ	e_sinsular.hlig	TBD	e f + hlig	2.201	Ansund	ligature of tall e and insular s	
ȥ	e_tinsular.hlig	TBD	e ʈ + hlig	2.201	Ansund	ligature of tall e and t	
ƿx	e_x.hlig	TBD	e x + hlig	2.201	Ansund	ligature of tall e and x	
ʃi	esh i		<esh i + liga>	2.204	theblursed	pseudo-ligature of ʃ and i	theblursed is a GitHub user
ʃj	esh j		<esh j + liga>	2.204	theblursed	pseudo-ligature of ʃ and j	
ʃi	tesh i		<tesh i + liga>	2.204	theblursed	pseudo-ligature of ʃ and i	
ʃj	tesh j		<tesh j + liga>	2.204	theblursed	pseudo-ligature of ʃ and j	
ƿ	F.rustic	F0035	F + salt[1]	2.2	Ansund	Rustic capital F	
ƿ	F.lombardic	F004C	F + salt[2]	2.2	Ansund	Lombardic capital F	
ƿ	f.rustic		f + salt[1]	2.2	Junicode	Rustic capital F from lc	
ƿ	f.lombardic		f + salt[2]	2.2	Junicode	Lombardic capital F from lc	
ƿ	F.lombardic.alt	TBD	F + salt[3]	2.202	Ansund	lombardic capital F with descender	
ƿ	f.lombardic.alt		f + salt[3]	2.202	Junicode	lombardic capital F with descender, from lc	
ƿ	f.alt4	TBD	f + cv12[9]	2.2	Ansund	insular f with split top	
ƿ	uniF0B7	F0B7	ƿ U+0304	2.204	MUFI	LATIN SMALL LETTER INSULAR ƿ WITH MACRON	
ƿ	uniF0B8	F0B8	ƿ U+035B	2.204	MUFI	LATIN SMALL LETTER ƿ WITH ZIGZAG ABOVE	
ƿ	G.rustic	F0036	G + salt[1]	2.2	Ansund	Rustic capital G	
ƿ	G.lombardic	F004D	G + salt[2]	2.2	Ansund	Lombardic capital G	
ƿ	g.rustic		g + salt[1]	2.2	Junicode	Rustic capital G from lc	
ƿ	g.lombardic		g + salt[2]	2.2	Junicode	Lombardic capital G from lc	
ƿ	G.lombardic.alt	TBD	G + salt[3]	2.203	Ansund	Rustic capital G with tail	
ƿ	g.lombardic.alt		g + salt[3]	2.203	Junicode	Rustic capital G with tail	
ƿ	ginsular.enlarged	TBD	ƿ + ss06	2.2	Ansund	insular g, enlarged	

Ġ	uniF0C4	F0C4	G U+0304 + cv84[15]	2.204	MUFI	LATIN CAPITAL LETTER G WITH LATIN SMALL LETTER DOTLESS I ABOVE	
ġ	uniF0DD	F0DD	g v + ss17	2.204	MUFI	LATIN SMALL LIGATURE G V	
H	H.rustic	F0037	H + salt[1]	2.2	Ansund	Rustic capital H	
h	H.lombardic	F004E	H + salt[2]	2.2	Ansund	Lombardic capital H	
H	h.rustic		h + salt[1]	2.2	Junicode	Rustic capital H from lc	
h	h.lombardic		h + salt[2]	2.2	Junicode	Lombardic capital H from lc	
H̃	H.alt2	TBD	H + cv15[3]	2.2	Ansund	square capital h with extended upper left limb	
h	h.alt.enlarged		h + cv16[1] + ss06	2.202	Junicode	enlarged h with right descen-	
h	h.alt3		h + cv16[4]	2.202	Junicode	def caroline h	If Junicode is going to have “enlarged caroline h,” it surely ought to have “caroline h.”
h	h.alt3.enlarged	TBD	h + cv16[4] + ss06	2.202	Ansund	enlarged caroline h	Based on MUFI U+F23A (h.alt), which now participates in the enlarge axis.
h̄	hbar.alt	TBD	h + cv16[5]	2.202	Ansund	caroline h with right descen- der and bar	
h̆	uniF064	F064	h U+1DD2	2.204	MUFI	LATIN SMALL LETTER H WITH US ABOVE	
ḣ	uniF06B	F06B	h U+035B + ss20	2.204	MUFI	LATIN SMALL LETTER H WITH ZIGZAG ABOVE	
ḧ	uniF06C	F06C	h U+0367 + ss20	2.204	MUFI	LATIN SMALL LETTER H WITH LATIN SMALL LETTER U ABOVE	
h̉	uniF06F	F06F	h U+1DD3 + ss20	2.204	MUFI	LATIN SMALL LETTER H WITH FLATTENED OPEN A ABOVE	
h̊	uniF074	F074	h U+1DE3 + cv87 + ss20	2.204	MUFI	LATIN SMALL LETTER H WITH UR LEMNISKATE FORM ABOVE	
h̋	uniF0C3	F0C3	U+0127 + ss06	2.204	MUFI	LATIN ENLARGED LETTER SMALL H WITH MEDIUM-HIGH MACRON	

Sheet1

h	uniF0DA	F0DA	h U+1ACE + ss20	2.204	MUFI	LATIN SMALL LETTER H WITH LATIN LETTER INSULAR T ABOVE	
l	I.rustic	F0038	I + salt[1]	2.2	Ansund	Rustic capital I	
I	I.lombardic	F004F	I + salt[2]	2.2	Ansund	Lombardic capital I	
l	i.rustic		i + salt[1]	2.2	Junicode	Rustic capital I from lc	
I	i.lombardic		i + salt[2]	2.2	Junicode	Lombardic capital I from lc	
l	I.alt	TBD	I + cv17[4]	2.202	Ansund	unserified I	
l	J.rustic		J + salt[1]	2.2	Junicode	Rustic capital J	Supplied to complete a modern alphabet
J	J.lombardic		J + salt[2]	2.2	Junicode	Lombardic capital J	
l	j.rustic		j + salt[1]	2.2	Junicode	Rustic capital J from lc	
J	j.lombardic		j + salt[2]	2.2	Junicode	Lombardic capital J from lc	
k	K.rustic	F0039	K + salt[1]	2.2	Ansund	Rustic capital K	
K	K.lombardic	F0050	K + salt[2]	2.2	Ansund	Lombardic capital K	Supplied though not in spreadsheet
k	k.rustic		k + salt[1]	2.2	Junicode	Rustic capital K from lc	
K	k.lombardic		k + salt[2]	2.2	Junicode	Lombardic capital K from lc	
k	k.alt4	TBD	k + cv22[6]	2.2	Ansund	uncial k with descender	
k	U+F078	F078	k U+1DDE + ss20	2.204	MUFI	LATIN SMALL LETTER K WITH LATIN LETTER SMALL CAPITAL L ABOVE	
k	U+F07C	F07C	k U+0367 + ss20	2.204	MUFI	LATIN SMALL LETTER K WITH LATIN SMALL LETTER U ABOVE	
k	U+F07E	F07E	k U+1DD2	2.204	MUFI	LATIN SMALL LETTER K WITH US ABOVE	
k	U+F0B9	F0B9	k U+035B + ss20	2.204	MUFI	LATIN SMALL LETTER K WITH ZIGZAG ABOVE	
k	U+F0BE	F0BE	k U+1DD3 + ss20	2.204	MUFI	LATIN SMALL LETTER K WITH FLATTENED OPEN A ABOVE	



ƙ	U+F0BF	F0BF	ƙ U+1DE3 + cv87 + ss20	2.204	MUFI	LATIN SMALL LETTER ƙ WITH UR LEMNISKATE FORM ABOVE	
Ł	L.rustic	F003A	Ł + salt[1]	2.2	Ansund	Rustic capital Ł	
Ł	L.lombardic	F0051	Ł + salt[2]	2.2	Ansund	Lombardic capital Ł	
Ł	l.rustic		l + salt [1]	2.2	Junicode	Rustic capital Ł from lc	
Ł	l.lombardic		l + salt [2]	2.2	Junicode	Lombardic capital Ł from lc	
ı	uniF0B8	F0B8	ı U+035B [+ case]	2.204	MUFI	LATIN SMALL LETTER ı WITH ZIGZAG ABOVE	OpenType case feature reduces the height.
ı	uniF0BB	F0BB	ı U+00AF + cv67	2.204	MUFI	LATIN SMALL LETTER ı WITH WORD-FINAL ZIGZAG ABOVE	
Ɔ	M.rustic	F003B	Ɔ + salt [1]	2.2	Ansund	Rustic capital Ɔ	
Ɔ	M.lombardic	F0052	Ɔ + salt [2]	2.2	Ansund	Lombardic capital Ɔ	
Ɔ	m.rustic		m + salt [1]	2.2	Junicode	Rustic capital Ɔ from lc	
Ɔ	m.lombardic		m + salt [2]	2.2	Junicode	Lombardic capital Ɔ from lc	
Ɔ	N.rustic	F003C	Ɔ + salt [1]	2.2	Ansund	Rustic capital Ɔ	
Ɔ	N.lombardic	F0053	Ɔ + salt [2]	2.2	Ansund	Lombardic capital Ɔ	
Ɔ	n.rustic		n + salt [1]	2.2	Junicode	Rustic capital Ɔ	
Ɔ	n.lombardic		n + salt [2]	2.2	Junicode	Lombardic capital Ɔ from lc	
Ɔ	N.alt2	TBD	Ɔ + cv27 [3]	2.202	Ansund	Ɔ with low stroke and descender	
Ɔ	n.alt4	TBD	Ɔ + cv28 [7]	2.202	Ansund	wide petite cap Ɔ with descender	
Ɔ	n_a.hlig	TBD	Ɔ a + hlig	2.201	Ansund	ligature of Ɔ and subscript a	
Ɔ	n_i.hlig	TBD	Ɔ i + hlig	2.202	Ansund	ligature of Ɔ and subscript i	
Ɔ	uniF0EB	F0EB	Ɔ v + hlig	2.204	MUFI	LATIN SMALL LIGATURE Ɔ V	
Ɔ	uniF0F8	F0F8	Ɔ v U+0304 + hlig	2.204	MUFI	LATIN SMALL LIGATURE Ɔ V WITH MACRON	

Sheet1

O	O.rustic	F003D	O + salt[1]	2.2	Ansund	Rustic capital O	
o	O.lombardic	F0054	O + salt[2]	2.2	Ansund	Lombardic capital O	Supplied though not in spreadsheet
o	o.rustic		o + salt[1]	2.2	Junicode	Rustic capital O from lc	
o	o.lombardic		o + salt[2]	2.2	Junicode	Lombardic capital O from lc	
ø	uniF0C7	F0C7	ø U+1DCE U+0301	2.204	MUFI	LATIN SMALL LETTER O SLASH + COMBINING OGONEK ABOVE + COMBINING ACUTE ACCENT	
Ɔ	P.rustic	F003E	P + salt[1]	2.2	Ansund	Rustic capital P	
P	P.lombardic	F0055	P + salt[2]	2.2	Ansund	Lombardic capital P	
Ɔ	p.rustic		p + salt[1]	2.2	Junicode	Rustic capital P from lc	
P	p.lombardic		p + salt[2]	2.2	Junicode	Lombardic capital P from lc	
Ɔe	p_e.hlig	TBD	p e + hlig	2.201	Ansund	biting of pe	
Q	Q.rustic	F003F	Q + salt[1]	2.2	Ansund	Rustic capital Q	Supplied though not in spreadsheet
Q	Q.lombardic	F0056	Q + salt[2]	2.2	Ansund	Lombardic capital Q	Supplied though not in spreadsheet
Q	q.rustic		q + salt[1]	2.2	Junicode	Rustic capital Q from lc	
Q	q.lombardic		q + salt[2]	2.2	Junicode	Lombardic capital Q from lc	
R	R.rustic	F0040	R + salt[1]	2.2	Ansund	Rustic capital R	
R	R.lombardic	F0057	R + salt[2]	2.2	Ansund	Lombardic capital R	
R	r.rustic		r + salt[1]	2.2	Junicode	Rustic capital R from lc	
R	r.lombardic		r + salt[2]	2.2	Junicode	Lombardic capital R from lc	
ř	uniF054	F054	ř macroncomb	2.204	MUFI	LATIN SMALL LETTER R WITH MACRON	
S	S.rustic	F0041	S + salt[1]	2.2	Ansund	Rustic capital S	
S	S.lombardic	F0058	S + salt[2]	2.2	Ansund	Lombardic capital S	
s	s.rustic		s + salt[1]	2.2	Junicode	Rustic capital S from lc	
s	s.lombardic		s + salt[2]	2.2	Junicode	Lombardic capital S from lc	

S	S.alt1	TBD	S + cv37[6]	2.201	Ansund	ascending and descending S	Junicode cannot accommodate an <i>actual</i> three-line letter.
Œ	S.alt2	TBD	S + cv37[7]	2.201	Ansund	reversed z shaped S	
r	s.alt1	TBD	s + cv38[9]	2.201	Ansund	low s (insular s) with split top	
Œ	s.alt2	TBD	s + cv38[10]	2.201	Ansund	ascending and descending s	
ƿ	longs.alt5		s + cv38[11]	2.201	Junicode	long s with loop	Added to supply an element for ligatures with looped long s (longs_tinsular.alt and longs_wynn.alt). Up to MUF1 whether to encode it—but I don't think it will ever occur except in ligatures.
f	longs.alt6	TBD	s + cv38[12]	2.203	Ansund	long s with short tail	
ſ	uniF0BC	F0BC	fU+035B	2.204	MUF1	LATIN SMALL LETTER LONG S WITH ZIGZAG ABOVE	
ƿ	longs_tinsular	TBD	fç + lliga	2.201	Ansund	ligature of long s and t	
ƿ	longs_tinsular.alt	TBD	fç + cv38[11] fç + cv38[11]st + ss02	2.201	Ansund	ligature of looped long s and t	hlig not necessary. First element may be long s (U+017F), insular s (U+A785), or s (with sso2).
ƿ	longs_wynn.alt	TBD	f w + cv38[11] f p + cv38[11] s w + ss02 + cv38[11]	2.201	Ansund	ligature of looped long s and wynn	hlig not necessary. First element may be long s (U+017F), insular s (U+A785), or s (with sso2).
ƿ	longs_wynn.hlig	TBD	s w + hlig	2.2	Ansund	ligature of long s and wynn	
T	T.rustic	F0042	T + salt[1]	2.2	Ansund	Rustic capital T	
ƿ	T.lombardic	F0059	T + salt[2]	2.2	Ansund	Lombardic capital T	
T	t.rustic		t + salt[1]	2.2	Junicode	Rustic capital T from lc	
ƿ	t.lombardic		t + salt[2]	2.2	Junicode	Lombardic capital T from lc	
T	T.lombardic.alt		T + salt[3]	2.202	Junicode	Rustic capital T, alternate	
T	t.lombardic.alt		t + salt[3]	2.202	Junicode	Rustic capital T, alternate form, from lc	

T	t.alt	TBD	t + cv40[4]	2.203	Ansund	Cap-like t with descender	was: capital T that descends below the line. But context favors interpretation as lowercase, and I'm sure I've seen this shape where scribe is trying to compress.
ṭ	U+F093	F093	ṭ U+0304	2.204	MUFI	LATIN SMALL LETTER INSULAR T WITH MACRON	
ṭ	U+F094	F094	ṭ U+0307	2.204	MUFI	LATIN SMALL LETTER INSULAR T WITH DOT ABOVE	
Ƨ	U.rustic	F0043	U + salt[1]	2.2	Ansund	Rustic capital U	
Ƨ	U.lombardic	F005A	U + salt[2]	2.2	Ansund	Lombardic capital U	
Ƨ	u.rustic		u + salt[1]	2.2	Junicode	Rustic capital U from lc	
Ƨ	u.lombardic		u + salt[2]	2.2	Junicode	Lombardic capital U from lc	
U	U.alt		U + cv41[2]	2.202	Junicode	lowercase-shaped U	
Ƨ	U.alt2	TBD	U + cv41[3]	2.202	Ansund	lowercase-shaped U with descender	
Ƨ	V.rustic		V + salt[1]	2.2	Junicode	Rustic capital V	
Ƨ	V.lombardic		V + salt[2]	2.2	Junicode	Lombardic capital V	
Ƨ	v.rustic		v + salt[1]	2.2	Junicode	Rustic capital V from lc	
Ƨ	v.lombardic		v + salt[2]	2.2	Junicode	Lombardic capital V from lc	
V	v.enlarged.alt	TBD	v + cv44[6]	2.202	Ansund	Enlarged minuscule v with low point	
ṽ	uniF0C5	F0C5	V U+035B [+ case]	2.204	MUFI	LATIN CAPITAL LETTER V WITH ZIGZAG ABOVE	
Ƨ	W.rustic		W + salt[1]	2.2	Junicode	Rustic capital W	Supplied to complete a modern alphabet
Ƨ	W.lombardic		W + salt[2]	2.2	Junicode	Lombardic capital W	Supplied to complete a modern alphabet
Ƨ	w.rustic		w + salt[1]	2.2	Junicode	Rustic capital W from lc	
Ƨ	w.lombardic		w + salt[2]	2.2	Junicode	Lombardic capital W from lc	
p	wynn.enlarged	TBD	p + ss06	2.2	Ansund	wynn, enlarged	

Sheet1

X	X.rustic	F0044	X + salt[1]	2.2	Ansund	Rustic capital X	Supplied though not in spreadsheet
X	X.lombardic	F005B	X + salt[2]	2.2	Ansund	Lombardic capital X	Supplied though not in spreadsheet
X	x.rustic		x + salt[1]	2.2	Junicode	Rustic capital X from lc	
X	x.lombardic		x + salt[2]	2.2	Junicode	Lombardic capital X from lc	
Y	Y.rustic	F0045	Y + salt[1]	2.2	Ansund	Rustic capital Y	Supplied though not in spreadsheet
Y	Y.lombardic	F005C	Y + salt[2]	2.2	Ansund	Lombardic capital Y	Supplied though not in spreadsheet
Y	y.rustic		y + salt[1]	2.2	Junicode	Rustic capital Y from lc	
Y	y.lombardic		y + salt[2]	2.2	Junicode	Lombardic capital Y from lc	
Y	y.alt6	TBD	y + cv50[5]	2.203	Ansund	Curved y	
Y	y.alt4	TBD	y + cv50[6]	2.203	Ansund	Short curved y	
Y	y.alt5	TBD	ÿ + salt[1]	2.203	Ansund	Short curved y with dot	A variant of ÿ U+1E8F.
Z	Z.rustic	F0046	Z + salt[1]	2.2	Ansund	Rustic capital Z	Supplied though not in spreadsheet
Z	Z.lombardic	F005D	Z + salt[2]	2.2	Ansund	Lombardic capital Z	Supplied though not in spreadsheet
Z	z.rustic		z + salt[1]	2.2	Junicode	Rustic capital Z from lc	
Z	z.lombardic		z + salt[2]	2.2	Junicode	Lombardic capital Z from lc	
þþ	thornstroke_thornstro	TBD	þ þ + hlig	2.201	Ansund	þþ ligature with angled cross stroke	Language must be English.
þ	uniF084	F084	þ U+035B + ss20	2.204	MUFI	LATIN SMALL LETTER THORN WITH ZIGZAG ABOVE	Language must be non-English or use ss01.
þ	uniF085	F085	þ U+0363 + ss20	2.204	MUFI	LATIN SMALL LETTER THORN WITH LATIN SMALL LETTER A ABOVE	
þ	uniF08B	F08B	þ U+1DD3 + ss20	2.204	MUFI	LATIN SMALL LETTER THORN WITH FLATTENED OPEN A ABOVE	
þ	uniF08F	F08F	þ U+1ACE + ss20	2.204	MUFI	LATIN SMALL LETTER THORN WITH LATIN LETTER INSULAR T ABOVE	
●	blackCircle	25CF		2.204	MUFI	BLACK CIRCLE	

Sheet1

《	dbanglebracketleft	300A		2.204	theblursed	LEFT DOUBLE ANGLE BRACKET	
》	dbanglebracketright	300B		2.204	theblursed	RIGHT DOUBLE ANGLE BRACKET	